

AMBITEX®

Cast Poly Gloves



CP6510 Series

Deep texture improves dexterity and reduces glove movement

Better tensile strength than traditional polyethylene

Loose-fitting design is easy to don for frequent glove changes



AMBITEX® Cast Poly Gloves



Clear



Not Made with
Natural Rubber Latex



Straight
Cuff



Single Use
Only



Standard
Length



Food
Safe

PRODUCT SPECIFICATIONS

Dimensions (mm)	Palm Width	Length
Small	135 ± 5	Min. 285
Medium	140 ± 5	Min. 285
Large	145 ± 5	Min. 285
Extra Large	150 ± 5	Min. 285

Physical Properties	Before Aging	After Aging
Max Force at Yield (N/m)	Min. 360	Min. 360
Ultimate Elongation (%)	Min. 300	Min. 300
Freedom from holes	AQL 2.5	N/A

Thickness	mm
Palm	Min. 0.07
Cuff	Min. 0.07
Finger	Min. 0.07

Certification(s): Manufactured in an ISO 9001 certified facility. Complies with 21 CFR parts 170-199 for use in contact with food.¹

¹1 mm = 39.3700787 mils

PACKAGING

Item #	Size	Packaging Dimensions		Barcodes	
		Inner	Master	Inner	Master
100 gloves/box • 10 boxes/case					
CPSM6510	SM	9.6x5.5x1.2"	11.5x10.0x7.0"	6-99320-66002-7	10-699320-66002-4
CPMD6510	MD	9.6x5.5x1.2"	11.5x10.0x7.0"	6-99320-66003-4	10-699320-66003-1
CPLG6510	LG	9.6x5.5x1.2"	11.5x10.0x7.0"	6-99320-66004-1	10-699320-66004-8
CPXL6510	XL	9.6x5.5x1.2"	11.5x10.0x7.0"	6-99320-66005-8	10-699320-66005-5

Storage Instructions: Store in a cool, dry place. Avoid exposure to sunlight.

To request samples or for the name of an AMBITEX® distributor in your area, call **800-GLOVES-0 (456-8370)**.

© 2022 Tradex Holdings LLC. AMBITEX® is a registered trademark of Tradex Holdings LLC. Conditions may vary. Always test a product's resistance to the hazards related to the task and work environment prior to use. Tradex Holdings LLC makes no warrants regarding the accuracy of the above information, and assumes no responsibility for a user's glove selection. Packaging specifications and availability may vary. Except for applicable regulatory standards, the above information represents typical data for the product and should not be construed or used as an actual product performance specification. ¹Data on File.